

Printing date 24.07.2024 Version number 35 (replaces version 34)

Revision: 24.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

• Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- **1.3 Details of the supplier of the safety data sheet** • **Manufacturer/Supplier:** Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Silicic acid, sodium salt

(Contd. on page 2)



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

(Contd. of page 1) · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P501 Dispose of contents/container in accordance with national regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Sealant

 Dangerous components: 		
CAS: 1344-09-8	Silicic acid, sodium salt	10-25%
EINECS: 215-687-4	🔶 Eye Dam. 1, H318; 🕔 Skin Irrit. 2, H315; STOT SE 3,	
Reg.nr.: 01-2119448725-31	H335	
CAS: 1333-86-4	Carbon black	<1%
EINECS: 215-609-9	substance with a Community workplace exposure limit	
· Additional information:	· · · · · · · · · · · · · · · · · · ·	

The hazard of CAS No. 14808-60-7 is only applicable for respirable dust.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

IF



Printing date 24.07.2024 Version number 35 (replaces version 34) Rev

Revision: 24.07.2024

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1333-86-4 Carbon black

OEL (Ireland) Long-term value: 3* mg/m³

*inhalable fraction

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

· Boiling point or initial boiling point and


· Lower and upper explosion limit

boiling range · Flammability

Flash point:

· Lower:

· Upper:



100 °C

Not applicable.

Not determined.

Not determined.

Not applicable.

(Contd. on page 5)



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

	(Contd. of page
Decomposition temperature:	Not determined.
pH at 20 °C	10
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic: Not determined.	
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.803-1.906 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevent physical data ware datarmined for th
9.2 Other information	All relevant physical data were determined for th mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Annooronoo;	characterization of the mixture.
Appearance: Form:	Fluid
Important information on protection of hea	ITA
and environment, and on safety.	Des durat is mat a skiewiting
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Water:	29.5 %
Solids content:	53.5 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
C185365	
	Void
Explosives	
Explosives Flammable gases Aerosols	Void
Explosives Flammable gases Aerosols	Void Void
Explosives Flammable gases Aerosols Oxidising gases	Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void Void
Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void Void Void Void Void



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

(Contd. of page 5)

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- \cdot Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- 1333-86-4 Carbon black
- Oral LD50 10000 mg/kg (rat)
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity
- Not applicable.
- Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- \cdot STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

(Contd. on page 7)



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

(Contd. of page 6)

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

• **12.2 Persistence and degradability** No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

14 06 03* other solvents and solvent mixtures

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informa	tion	
 14.1 UN number or ID number ADR/ADN, IMDG, IATA 	not regulated	
ADN	not regulated	
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated	
 14.3 Transport hazard class(es) 		
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated	
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated	
 14.5 Environmental hazards: Marine pollutant: 	No	
		(Contd. on page 8)



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

	(Contd. of page 7
• 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accordin IMO instruments 	n g to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

· Classification according to Regulation (EC) No 1272/2008

	2
Skin corrosion/irritation	The classification of the mixture is generally based on the
Serious eye damage/irritation	calculation method using substance data according to Regulation
, , ,	(EC) No 1272/2008.

(Contd. on page 9)



Printing date 24.07.2024

Version number 35 (replaces version 34)

Revision: 24.07.2024

Trade name: BIS FIRE PLACE SEAL CQ 530G*12 L143

	(Contd. of page
- Department	uing SDS: PSRA
· Contact: PS	
· Date of prev	is version: 01.06.2021
	er of previous version: 34
	and acronyms:
ADR: Accord re	au transport international des marchandises dangereuses par route (European Agreement Concerni rriage of Dangerous Goods by Road)
	Maritime Code for Dangerous Goods
	Air Transport Association
	nonised System of Classification and Labelling of Chemicals
	Inventory of Existing Commercial Chemical Substances List of Notified Chemical Substances
	tracts Service (division of the American Chemical Society)
	ntration, 50 percent
LD50: Lethal do	
	accumulative and Toxic
	nt and very Bioaccumulative
	rosion/irritation – Category 2
Eye Dam. 1: Sei	s eye damage/eye irritation – Category 1
STOT SE 3: Spe	c target organ toxicity (single exposure) – Category 3