

## **MOTIP Carburettor Cleaner**

Ord.-no.: 090510



## **Technical Information**

Clean the inside and outside of carburettors, butterfly valves and drain valves without disassembling with MOTIP Carburettor Cleaner. It has high dissolving properties, leaves no residue, is non-corrosive and has a precise jet-spray.

### **Quality & properties**

- Directed jetspray
- · High dissolving properties
- Leaves no residue
- Non-corrosive
- 360° valve

### Physical & chemical data

Base: Mixture of organic solvents

Colourname: no colour

Smell: Characteristic

• Surfaces: Carburettors Valves

Minimum Working Temperature: 10 °C
Maximum Working Temperature: 25 °C

• Spray rate: 3,0

Vapour pressure: 3500/20 bar
Relative density: 0.84 g/ml
Storage stability: 10 y
Content: 500 ML

### How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- The aerosol should have room temperature.
- Best processing temperature 10 to 25°C.
- Before use, shake the aerosol.
- Switch of the engine and allow to cool down. Remove the air filter.
- Spray the exterior of the carburettor until the contamination has disappeared.
- Spray the visible parts of the interior of the carburettor and allow to take effect.
- Start the engine and let idle with very limited speed. Spray the carburettor cleaner several times at the air inlet and increase the speed of the engine. Switch the engine off and install the air filter.

# Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

#### Disposa

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

#### Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of June 10, 2022 – This release replaces all eventually earlier issued versions.